

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("5168521").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/06/08 12:41
L4	0	start with signal same key same schedule\$5 same size and @ad<"20010117"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/06/08 13:21
L5	25	start with signal same key same schedule\$5 and @ad<"20010117"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/06/08 13:22
L6	387	start with signal same generate with key and @ad<"20010117"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/06/08 13:25
L7	386	start with signal same generate with key and @ad<"20010117" not I5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/06/08 13:25
L8	45	start with signal same generate with key same (period or schedule) and @ad<"20010117" not I5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/06/08 13:25
L9	0	start with signal same generate with key same (period or schedule) and AES and @ad<"20010117" not I5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/06/08 13:26
L10	1	start with signal same generate with key and AES and @ad<"20010117" not I5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/06/08 13:26
L11	1	encrypt\$4 same real adj time same key adj3 schedule and @ad<"20010117" not I5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/06/08 13:28
L12	0	start adj signal same key adj3 schedule and @ad<"20010117" not I5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/06/08 13:30

L13	37	signal same key adj3 schedule and @ad<"20010117" not I5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/06/08 13:30
L14	37	signal same key adj3 schedule and @ad<"20010117"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/06/08 13:30
L15	15	start same key adj3 schedule and @ad<"20010117"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/06/08 13:31
L16	158	generate with key same time same size and @ad<"20010117"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/06/08 13:32
L17	42	generate with key same time same size same encrypt\$5 and @ad<"20010117"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/06/08 13:32
L19	9	start adj key same round with key and @ad<"20010117"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/06/08 13:45
L20	6	round adj key same schedule and @ad<"20010117"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/06/08 13:47
L21	0	key adj schedule same validate same round and @ad<"20010117"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/06/08 13:57
L22	0	key adj schedule same valid\$5 same round and @ad<"20010117"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/06/08 13:57
L23	16	key adj schedule same valid\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/06/08 13:57
L24	1	key adj schedule same valid\$5 and @ad<"20010117"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/06/08 13:58
L25	14	authentikat\$5 with round with key and @ad<"20010117"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/06/08 14:34

L26	0	valid with signal with round with key and @ad<"20010117"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/06/08 14:35
L27	3	valid with round with key and @ad<"20010117"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/06/08 14:35
L28	78	sign with encryption adj key and @ad<"20010117"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/06/08 14:38
L29	184	hash with encryption adj key and @ad<"20010117"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/06/08 14:41
L30	48	validate with encryption adj key and @ad<"20010117"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/06/08 14:41
L32	418	valid with key with signal and @ad<"20010117"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/06/08 14:43
L33	1	("5,420,866").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/06/08 14:54
L34	0	check\$4 with validity adj3 encryption adj key and @ad<"20010117"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/06/08 15:00
L35	0	check\$4 with valid adj3 encryption adj key and @ad<"20010117"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/06/08 15:00
L36	5415	check\$4 with validwith encryption adj key and @ad<"20010117"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/06/08 15:00
L37	9	check\$4 with valid with encryption adj key and @ad<"20010117"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/06/08 15:00
L38	9	check\$4 with valid with encryption adj key and @ad<"20010117"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/06/08 15:00

L39	1	check\$4 with authenticate with encryption adj key and @ad<"20010117"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/06/08 15:01
L40	130	authenticate with encryption adj key and @ad<"20010117"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/06/08 15:01
L41	306	380/37.ccls. and @ad<"20010117"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/06/08 15:27
L42	106	380/217.ccls. and @ad<"20010117"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/06/08 15:27
L43	850	380/28.ccls. and @ad<"20010117"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/06/08 15:27

6/ 8/ 08 3:28:42 PM